





Access to Care	Lincoln County Head Start children with caries experience or untreated decay. Source: LCHD Varnish Participant Survey (Average/total %)	Better	N/A	46%	42%	39%		N/A	N/A	N/A	N/A		N/A	N/A	N/A	N/A	
Access to Care	Lincoln County 2 <sup>nd</sup> graders with caries experience or untreated decay. Source: LCHD Sealant Participant Survey		49%	55%	49%	44%		N/A	N/A	N/A	N/A		N/A	N/A	N/A	N/A	
Access to Care	Number of adults with annual dental visits Source: County Oral Health Surveillance System 2010.		N/A	N/A	45%	N/A		N/A	N/A	N/A	N/A		N/A	N/A	N/A	N/A	

### Nutrition

Childhood Obesity	% of children <18 with BMI > 95%. Source: Lincoln County Health Dept. (schools) *males ages 7,11,14 ** females age 13		08-09 25% males* 29% females**			MAPS: fitgrams 44% males 41% females ov/ob											
Childhood Obesity	% of patients under age 19 with BMI over the 95 <sup>th</sup> percentile (Ministry Health)	Better	17.6%	17.3%	17.6%	18.1%											
Adult Obesity	% of adults that report a BMI ≥ 30. Source: CDC Diabetes Interactive Atlas *USHHS-CDC-CHSI 2006-12	Worse	29% (38.5%*)	29%	29%	31%	32%	29%	29%	29%	29%	29%	25%	25%	25%	25%	25%
Food Environment Index	Index of factors that contribute to a healthy food environment, (0- worst – 10 best). Source: USDA Food Environment Atlas, Map the Meal Gap	Better	N/A	N/A	8.3	8.1	7.9	N/A	N/A	8.3	8.4	8.3	N/A	N/A	8.7	8.0	7.9
Dietary Recommendations	% of residents (all ages) who eat few fruits and vegetables Source: USHHS-CDC-CHSI		2009 83.4%					2009 Shawano Co. 80.9%									

The most current data available are reported for each indicator.